

(1) EU-Type Examination Certificate

according to Module B Paragraph 6.1 of PPE Regulation (EU) 2016/425

- (2) Regulation of the European Parliament and of the Council of 9 March 2016 relating to personal protective equipment (PPE) - Regulation (EU) 2016/425
- (3) No. of EU-Type Examination Certificate: **ZP/B178/20**
- (4) Product: **Anchor device type B**
Type: **Innotech MOBI**
- (5) Manufacturer: **INNOTECH Arbeitsschutz GmbH**
- (6) Address: **Laizing 10, 4656 Kirchham, Austria**
- (7) Risk category: **III**
- (8) The design and construction of this personal protective equipment and any acceptable variation thereto are specified in the appendix to this EU type-examination certificate.
- (9) The certification body of DEKRA Testing and Certification GmbH, Notified Body No. 0158 according to Chapter V of Regulation (EU) 2016/425 of 9 March 2016, certifies that this personal protective equipment has been found to comply with the essential Health and Safety Requirements given in Annex II to the Regulation. The evaluation results are recorded in report PB 20-230. Other possibly applicable Union legislations applicable to the specified personal protective equipment have not been taken into account in this EU-type examination certificate.
- (10) The essential Health and Safety Requirements are assured in consideration of
DIN EN 795:2012
- (11) This EU type-examination certificate relates only to the design, examination and tests of the specified personal protective equipment in accordance to Regulation (EU) 2016/425. For category III personal protective equipment, this EU type-examination certificate may only be used in conjunction with one of the conformity assessment procedures referred to Article 19 (c).
- (12) When applying the CE Marking according to Article 16 and 17 of Regulation (EU) 2016/425 to the products that conform to the types examined, the client is obliged to add, in accordance with the attached pattern, the identification number of the Notified Body engaged in the conformity assessment according to Module C2 or D. Furthermore, the manufacturer is obliged to issue an EU declaration of conformity in accordance with Article 15 of Regulation (EU) 2016/425 and to enclose it with the personal protective equipment, or to indicate the Internet address in the manual and in the instructions in Annex II, point 1.4., at which the EU declaration of conformity can be accessed.
- (13) This EU-Type Examination Certificate is valid until 2025-10-07.

DEKRA Testing and Certification GmbH
Bochum, 2020-10-08

Signed: Kilisch
Managing director

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.


Managing director

TRANSLATION

- (14) Appendix to
- (15) **EU-Type Examination Certificate**
ZP/B178/20
- (16) 16.1 Subject and type
Anchor device type B
Type: Innotech MOBI

16.2 Description

The fall-through protection with anchor device of type Innotech MOBI is used to temporarily protect people against falls from a height. When using the device, maximum one person can be secured at the strap anchor line. The strap is tightened by means of a hand ratchet after strapping it around the skylight. The system is assembled horizontally to skylights of sufficient bearing strength.

The fall-through protection is specifically intended for arresting the fall of a person through a skylight. Additionally, rescue of the person by another person is also possible.

The fall-through protection of type Innotech MOBI consists of a mesh net with the dimensions 2.0 m x 2.0 m or 3.0 m x 3.0 m.

The system is assembled to the edge of the skylight using a contouring strap with a tensioning element. The strap is looped through the net meshes and then fixed by means of additional loops to the net.

The user can connect himself to the strap directly using a connector and his PPE to protect himself against falls from a height.

The fall-through protection of type MOBI is available in two variants; in one variant, the mesh net is supplied by the manufacturer Bruno Dost GmbH, in the other variant the mesh net is supplied by the manufacturer Manfred Huck GmbH.




Fig.: Anchor device with fall-through protection of type Innotech MOBI

- (17) Report

PB 20-230, 2020-10-08

(1) Type Examination Certificate

(2) No. of the Type Examination Certificate: **ZP/B179/20**

(3) Product: **Fall-through protection**
Type: **Innotech MOBI**

(4) Manufacturer: **INNOTECH Arbeitsschutz GmbH**

(5) Address: **Laizing 10, 4656 Kirchham, Austria**

(6) The design of this product and any acceptable variation thereto are specified in the schedule to this Type Examination Certificate.

(7) The certification body of DEKRA Testing and Certification GmbH certifies that this product complies with the fundamental requirements of the standard listed under item 8 below. The examination and test results are set out in the report PB 20-230.

(8) The requirements of the standard are assured by compliance with

GS-Bau-18 Edition 2015


(9) This Type Examination Certificate relates only to the design, examination and tests of the specified product in accordance to the standard list. Further requirements of the Directive apply to the manufacturing process and supply of this personal protective equipment. These are not covered by this certificate.

(10) This Type Test Certificate is valid until 2025-10-07.

DEKRA Testing and Certification GmbH
Bochum, 2020-10-08

signed: Kilisch
Managing director

We confirm the correctness of the translation from the German original.
In the case of arbitration only the German wording shall be valid and binding.


Managing director

TRANSLATION

- (11) Appendix to
- (12) **Type Examination Certificate**
ZP/B179/20
- (13) 13.1 Subject and Type
Fall-through protection
Type: Innotech MOBI

13.2 Description

The fall-through protection with anchor device of type Innotech MOBI is used to temporarily protect people against falls from a height. When using the device, maximum one person can be secured at the strap anchor line. The strap is tightened by means of a hand ratchet after strapping it around the skylight. The system is assembled horizontally to skylights of sufficient bearing strength.

The fall-through protection is specifically intended for arresting the fall of a person through a skylight. Additionally, rescue of the person by another person is also possible.

The fall-through protection of type Innotech MOBI consists of a mesh net with the dimensions 2.0 m x 2.0 m or 3.0 m x 3.0 m.

The system is assembled to the edge of the skylight using a contouring strap with a tensioning element. The strap is looped through the net meshes and then fixed by means of additional loops to the net.

The user can connect himself to the strap directly using a connector and his PPE to protect himself against falls from a height.

The fall-through protection of type MOBI is available in two variants; in one variant, the mesh net is supplied by the manufacturer Bruno Dost GmbH, in the other variant the mesh net is supplied by the manufacturer Manfred Huck GmbH.




Fig.: Fall-through protection with anchor device of type Innotech MOBI

- (14) Report
PB 20-230, 2020-10-08